

This is an office action for serial number 10/528,087.

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mark D. Swanson on March 35, 2010.

The application has been amended as follows:

The Title has been changed:

"Stand" has been deleted and --Telescoping Stand With Pivoting Head-- has been inserted.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KIMBERLY T. WOOD whose telephone number is (571)272-6826. The examiner can normally be reached on Monday-Thursday 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. Allen Shriver can be

reached on 571-272-6698. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kimberly T. Wood/
Kimberly T. Wood
Primary Examiner
Art Unit 3632

March 30, 2010